



6061-T6 Am. Std. I Beams/Al. Assn. I Beam




Dimensions	Weight/ Piece	Finish M.F.
3 X .170 X 2.33 X 25'	49.08	M. F.
3 X 349 X 2.509 X 25'	64.78	M. F.
4 X .190 X 2.66 X 25'	66.13	M. F.
4 X .326 X 2.796 X 25'	82.08	M. F.
5 X .210 X 3.00 X 25'	85.75	M. F.
5 X .494 X 3.284 X 25'	127.50	M. F.
6 X .230 X 3.33 X 25'	107.55	M. F.
6 X .343 X 5.099 X 25'	127.48	M. F.
8 X .270 X 4.00 X 25'	158.75	M. F.
10 X .310 X 4.66 X 25'	219.03	M.F.
12 X .350 X 5.00 X 25'	275.00	M.F.

Dimensions	Weight/ Piece	Finish M.F.
3 X .130 X 2.50 X 25'	40.93	M. F.
3 X .150 X 2.50 X 25'	50.75	M. F.
4 X 1.50 X 3.00 X 25'	57.78	M. F.
4 X .170 X 3.00 X 25'	69.83	M. F.
5 X .190 X 3.50 X 25'	92.50	M. F.
6 X .190 X 4.00 X 25'	100.75	M. F.
6 X .210 X 4.00 X 25'	117.30	M. F.
7 X .230 X 4.50 X 25'	117.88	M. F.
7 X .210 X 3.50 X 25'	117.88	M.F.
8 X .230 X 5.00 X 25'	154.53	M. F.
8 X .250 X 5.00 X 25'	175.58	M. F.
9 X .270 X 5.50 X 25'	209.03	M. F.
10 X .250 X 6.00 X 25'	216.15	M. F.
10 X .290 X 6.00 X 25'	257.25	M. F.
12 X .310 X 7.00 X 25'	357.25	M. F.



6061-T6 Am. Std. Channels/Al. Assn. Channels



Dimensions	Weight/ Piece	Finish M.F.
3 X .170 X 1.41 X 25'	35.43	M. F.
3 X .258 X 1.50 X 25'	42.23	M. F.
3 X .356 X 1.60 X 25'	51.88	M. F.
4 X .180 X 1.58 X 25'	46.15	M. F.
4 X .247 X 1.65 X 25'	54.05	M. F.
4 X .320 X 1.72 X 25'	62.60	M. F.
5 X .190 X 1.75 X 25'	55.25	M. F.
5 X .325 X 1.89 X 25'	77.75	M. F.
5 X .150 X 2.25 X 25'	58.25	M. F.
5 X .190 X 2.75 X 25'	77.70	M. F.
5 X .472 X 2.03 X 25'	99.38	M. F.
6 X .200 X 1.92 X 25'	70.65	M. F.
6 X .225 X 1.95 X 25'	75.05	M. F.
6 X .210 X 3.25 X 25'	100.75	M.F.
6 X .314 X 2.03 X 25'	90.80	M. F.
6 X .437 X 2.16 X 25'	112.45	M. F.
7 X .230 X 2.11 X 25'	88.53	M. F.
8 X .250 X 2.29 X 25'	106.30	M. F.
8 X .487 X 2.527 X 25'	162.13	M. F.
9 X .230 X 2.43 X 25'	115.10	M. F.
10 X .240 X 2.60 X 25'	131.95	M. F.
10 X .250 X 3.50 X 25'	153.50	M.F.
10 X .310 X 4.25 X 25'	209.00	M.F.
10 X .526 X 2.89 X 25'	216.00	M. F.
12 X .290 X 4.00 X 25'	206.75	M.F.
12 X .300 X 2.96 X 25'	185.28	M. F.
12 X .350 X 5.00 X 25'	295.50	M.F.
12 X .387 X 3.047 X 25'	215.98	M. F.
12 X .510 X 3.17 X 25'	259.50	M.F.

Dimensions	Weight/ Piece	Finish M.F.
2 X .130 X 1.00 X 25'	14.43	M. F.
2 X .170 X 1.25 X 25'	26.75	M. F.
3 X .130 X 1.50 X 25'	28.50	M. F.
3 X .170 X 1.75 X 25'	40.00	M. F.
4 X .150 X 2.00 X 25'	43.50	M. F.
4 X .190 X 2.25 X 25'	58.25	M. F.
5 X .150 X 2.25 X 25'	55.25	M. F.
5 X .190 X 2.75 X 25'	77.25	M. F.
6 X .170 X 2.50 X 25'	70.75	M. F.
6 X .210 X 3.25 X 25'	100.75	M.F.
7 X .170 X 2.75 X 25'	80.25	M.F.
7 X .210 X 3.50 X 25'	100.75	M. F.
8 X .190 X 3.00 X 25'	103.75	M. F.
8 X .250 X 3.75 X 25'	144.75	M. F.
9 X .230 X 3.25 X 25'	124.50	M.F.
9 X .290 X 4.00 X 25'	174.25	M.F.
10 X .250 X 3.50 X 25'	153.45	M.F.
10 X .310 X 4.25 X 25'	209.00	M. F.
12 X .290 X 4.00 X 25'	206.75	M. F.
12 X .350 X 5.00 X 25'	295.50	M. F.

6061-T6 Wide Flange Beams


Dimensions	Weight/ Piece	Finish M.F.
4 X 4 X .313 X 25'	121.10	M.F.
5 X 5 X .313 X 25'	165.73	M.F.
6 X 4 X .230 X 25'	104.03	M.F.
6 X 6 X .240 X 25'	135.03	M.F.
8 X 8 X .288 X 25'	268.25	M.F.

Additional sizes and alloys are available. Call 800.899.2726.





6061-T6 Drawn Round Tubes



Dimensions	Weight/ Piece	Finish M.F.
.250 O.D. X .035 X 12'	0.34	M.F.
.250 O.D. X .049 X 12'	0.43	M.F.
.375 O.D. X .035 X 12'	0.53	M.F.
.375 O.D. X .049 X 12'	0.71	M.F.
.500 O.D. X .035 X 12'	0.72	M.F.
.500 O.D. X .049 X 12'	0.98	M.F.
.500 O.D. X .065 X 12'	1.25	M.F.
.625 O.D X .049 X 12'	1.25	M.F.
.625 O.D X .065 X 12'	1.61	M.F.
.750 O.D X .049 X 12'	1.52	M.F.
.750 O.D X .065 X 12'	1.98	M.F.
1.00 O.D X .058 X 12'	2.42	M. F.
1.00 O.D X .065 X 12'	2.70	M. F.
1.00 O.D X .125 X 12'	4.85	M. F.
1.125 O.D X .035 X 12'	2.26	M. F.
1.125 O.D X .058 X 12'	2.75	M. F.
1.250 O.D X .049 X 12'	2.60	M. F.
1.250 O.D X .058 X 12'	3.06	M. F.
1.250 O.D X .065 X 12'	3.42	M. F.
1.250 O.D X .083 X 12'	4.30	M. F.
1.375 O.D X .049 X 12'	2.88	M. F.
1.375 O.D X .058 X 12'	3.38	M. F.
1.50 O.D X .058 X 12'	3.71	M. F.
1.50 O.D X .083 X 12'	5.22	M. F.
1.50 O.D X .125 X 12'	7.62	M. F.
1.50 O.D X .250 X 12'	13.88	M. F.
1.625 O.D. X .058 X 12'	4.03	M. F.
1.625 O.D. X .125 X 12'	8.40	M. F.
1.750 O.D. X .065 X 12'	4.86	M. F.


Dimensions	Weight/ Piece	Finish M.F.
1.750 O.D. X .083 X 12'	6.12	M. F.
2.00 O.D. X .065 X 12'	5.58	M.F.
2.00 O.D. X .083 X 12'	7.08	M. F.
2.50 O.D. X .065 X 12'	7.02	M. F.
2.50 O.D. X .083 X 12'	8.89	M. F.
3.00 O.D. X .065 X 12'	8.46	M. F.
3.00 O.D. X .083 X 12'	10.74	M. F.
3.50 O.D. X .065 X 24'	9.90	M. F.

Additional sizes and alloys are available. Call 800.899.2726.





6061-T6 Extruded Round Tubes



Dimensions	Weight/ Piece	Finish M.F.
1.00 O.D. X .250 X 24'	16.63	M.F.
1.50 O.D. X .125 X 24'	15.24	M.F.
1.50 O.D. X .250 X 24'	27.77	M.F.
1.75 O.D. X .125 X 24'	18.00	M.F.
1.75 O.D. X .188 X 24'	25.94	M.F.
1.75 O.D. X .250 X 24'	33.24	M.F.
2.00 O.D. X .125 X 24'	20.78	M.F.
2.00 O.D. X .188 X 24'	30.22	M.F.
2.00 O.D. X .250 X 24'	38.78	M.F.
2.00 O.D. X .375 X 24'	54.02	M.F.
2.25 O.D. X .125 X 24'	23.54	M.F.
2.25 O.D. X .250 X 24'	44.33	M.F.
2.50 O.D. X .125 X 24'	26.33	M.F.
2.50 O.D. X .250 X 24'	49.87	M.F.
2.50 O.D. X .375 X 24'	70.66	M.F.
2.50 O.D. X .500 X 24'	88.68	M.F.
2.75 O.D. X .125 X 24'	29.09	M.F.
2.75 O.D. X .188 X 24'	42.62	M.F.
2.75 O.D. X .250 X 24'	55.44	M.F.
2.75 O.D. X .500 X 24'	99.74	M.F.
3.00 O.D. X .125 X 24'	31.87	M.F.
3.00 O.D. X .250 X 24'	60.94	M.F.
3.00 O.D. X .500 X 24'	110.83	M.F.
3.00 O.D. X .750 X 24'	166.27	M.F.
3.25 O.D. X .125 X 12'	34.63	M.F.
3.25 O.D. X .250 X 12'	60.94	M.F.
3.50 O.D. X .125 X 24'	37.42	M.F.
3.50 O.D. X .250 X 24'	72.05	M.F.
3.75 O.D. X .125 X 24'	40.20	M.F.

Dimensions	Weight/ Piece	Finish M.F.
3.75 O.D. X .250 X 24'	77.59	M.F.
3.75 O.D. X .500 X 24'	59.38	M.F.
4.00 O.D. X .125 X 24'	42.96	M.F.
4.00 O.D. X .188 X 24'	63.53	M.F.
4.00 O.D. X .250 X 24'	83.11	M.F.
4.00 O.D. X .500 X 24'	155.18	M.F.
4.50 O.D. X .500 X 24'	177.34	M.F.
4.50 O.D. X .250 X 24'	94.18	M.F.
5.00 O.D. X .250 X 24'	105.26	M.F.
5.00 O.D. X .500 X 24'	199.51	M.F.
5.50 O.D. X .250 X 24'	116.28	M.F.
5.50 O.D. X .500 X 24'	221.66	M.F.
6.00 O.D. X .125 X 24'	64.80	M.F.
6.00 O.D. X .188 X 24'	96.89	M.F.
6.00 O.D. X .250 X 24'	127.46	M.F.
6.00 O.D. X .500 X 24'	243.82	M.F.
7.00 O.D. X .500 X 24'	288.17	M.F.
8.00 O.D. X .375 X 24'	252.00	M.F.
8.00 O.D. X .500 X 24'	332.50	M.F.

Additional sizes and alloys are available. Call 800.899.2726.





6061-T6 Square Tubes



Dimensions	Weight/ Piece	Finish M.F.
.500 SQ. X .063 X 21'	2.67	M. F.
.750 SQ X .063 X 21'	4.31	M.F.
1.00 SQ. X .125 X 24'	12.58	M. F.
2.00 SQ. X .125 X 24'	27.02	M.F.
2.00 SQ. X .188 X 21'	23.16	M. F.
2.00 SQ. X .250 X 24'	50.40	M. F.
2.50 SQ. X .125 X 24'	34.20	M. F.
2.50 SQ. X .250 X 21'	63.50	M. F.
3.00 SQ. X .188 X 21'	52.23	M. F.
3.00 SQ. X .250 X 21'	67.91	M. F.
4.00 SQ. X .188 X 21'	80.16	M. F.
4.00 SQ. X .250 X 24'	108.00	M. F.
4.00 SQ. X .500 X 21'	197.57	M. F.
.500 SQ. X .063 X 21'	2.67	M. F.
.750 SQ X .063 X 21'	4.31	M.F.
1.00 SQ. X .125 X 24'	12.58	M. F.
2.00 SQ. X .125 X 24'	27.02	M.F.
2.00 SQ. X .188 X 21'	23.16	M. F.
2.00 SQ. X .250 X 24'	50.40	M. F.
2.50 SQ. X .125 X 24'	34.20	M. F.
2.50 SQ. X .250 X 21'	63.50	M. F.
3.00 SQ. X .188 X 21'	52.23	M. F.
3.00 SQ. X .250 X 21'	67.91	M. F.
4.00 SQ. X .188 X 21'	80.16	M. F.
4.00 SQ. X .250 X 24'	108.00	M. F.
4.00 SQ. X .500 X 21'	197.57	M. F.
5.00 SQ. X .250 X 24'	136.80	M. F.
6.00 SQ. X .125 X 24'	84.60	M. F.
6.00 SQ. X .250 X 24'	162.29	M. F.


Dimensions	Weight/ Piece	Finish M.F.
6.00 SQ. X .500 X 24'	310.46	M. F.
6.00 SQ. X 1.00 X 24'	564.48	M. F.
8.00 SQ. X .188 X 24'	165.82	M. F.
8.00 SQ. X .250 X 24'	218.74	M. F.
8.00 SQ. X .375 X 24'	322.82	M. F.
8.00 SQ. X .500 X 24'	423.46	M. F.

Additional sizes and alloys are available. Call 800.899.2726.





6061-T6 Rectangular Tubes



Dimensions	Weight/ Piece	Finish M.F.
.750 X 1.50 X .125 X 21'	12.35	M.F.
1.00 X 2.00 X .125 X 24'	19.78	M.F.
1.50 X 3.00 X .125 X 21'	26.71	M.F.
1.75 X 3.00 X .125 X 21'	27.78	M. F.
1.50 X 2.50 X .125 X 21'	23.16	M. F.
1.75 X 3.50 X .125 X 21'	30.87	M. F.
1.75 X 5.00 X .125 X 21'	40.13	M. F.
2.00 X 3.00 X .125 X 24'	34.22	M.F.
2.00 X 3.00 X .250 X 21'	55.36	M. F.
2.00 X 4.00 X .250 X 24'	79.20	M. F.
2.00 X 5.00 X .188 X 24'	70.20	M.F.
2.00 X 5.00 X .250 X 24'	93.60	M.F.
2.00 X 6.00 X .250 X 24'	108.00	M.F.
3.00 X 4.00 X .125 X 24'	49.78	M. F.
3.00 X 6.00 X .125 X 24'	63.00	M. F.
3.00 X 6.00 X .188 X 24'	81.69	M. F.
4.00 X 6.00 X .188 X 21'	102.14	M. F.
4.00 X 6.00 X .250 X 21'	117.31	M.F.
4.00 X 8.00 X .250 X 28'	193.20	M. F.



Gauge	Size	3003-H14 M.F.	5052-H32 M.F.	6061-T6 M.F.	3003-H22 TREADBRITE	6061-T6 TREADPLATE
0.025	36 X 96	X	X			
	48 X 96	X				
	48 X 120	X				
0.032	36 X 96	X	X	x		
	48 X 96	X	X	X		
	48 X 120	X	X	X		
	48 X 144	X	X	X		
0.040	48 X 96	X	X			
	48 X 120	X	X	X		
	48 X 144	X	X	X		
	60 X 144	X	X			
0.050	48 X 96	X	X	X		
	48 X 120	X	X	X		
	48 X 144	X	X	X		
	60 X 120	X	X	X		
	60 X 144	X	X	X		
0.063	48 X 96	X	X	X	X	
	48 X 120	X	X	X	X	
	48 X 144	X	X	X	X	
	60 X 144	X	X	X		
	72 X 144		X			
0.080	48 X 96	X	X	X	X	
	48 X 120	X	X	X	X	
	48 X 144	X	X	X		
	60 X 144	X	X	X		
	72 X 144	X	X			

Aluminum Sheet, cont.

Gauge	Size	3003-H14 M.F.	5052-H32 M.F.	6061-T6 M.F.	3003-H22 TREADBRITE	6061-T6 TREADPLATE
0.090	48 X 96	X	X	X		
	48 X 120	X	X	X		
	48 X 144	X	X	X		
	60 X 144	X	X	x		
	72 X 144	X	X			
	0.100	48 X 120	X	X	X	X
	48 X 144	X	X	X	X	X
	48 X 192			X	X	X
	60 X 120	X	X	X	X	
	60 X 144	X	X	X	X	
	60 X 192				X	
	72 X 144	X	X	X		
0.125	48 X 96	X	X	X	X	X
	48 X 120	X	X	X	X	X
	48 X 144	X	X	X	X	X
	48 X 192			X	X	X
	60 X 120	X	X	X	x	X
	60 X 144	X	X	X	X	X
	60 X 192				X	X
	72 X 144	X	X	X	X	
	84 X 240	X				
0.190	48 X 96	X	X	X	X	X
	48 X 120	X	X	X	X	X
	48 X 144	X	X	X	X	X
	48 X 192				X	X
	60 X 96	X	X	X	X	X
	60 X 144	X	X	X	X	X
	60 X 192				X	X
	72 X 144	X	X	X		

Aluminum Sheet, cont.

Gauge	Size	3003-H14 M.F.	5052-H32 M.F.	6061-T6 M.F.	3003-H22 TREADBRITE	6061-T6 TREADPLATE
0.250	48 X 96	X	X	X	X	X
	48 X 120	X	X	X	X	X
	48 X 144	X	X	X	X	X
	60 X 144	X	X	X	X	X
	60 X 192				X	X
	72 X 144	X	X	X		
0.375	48 X 96		X	X	X	X
	48 X 120		X	X	X	
	48 X 144	X	X	X	X	
	48 X 192					X
	60 X 192					X
	72 X 192					X
0.500	48 X 96		X	X		X
	48 X 120		X	X		
	48 X 144		X	X		
	48 X 192					X
	60 X 96			X		X
	60 X 144			X		
	60 X 192					X
	72 X 192					X
0.625	48.5 X 96.5			X		X
	48.5 X 144.5			X		X
0.750	36.5 X 96.5			X		X
	48.5 X 96.5			X		X
	48.5 X 120.5			X		X
	48.5 X 144.5			X		X
	60.5 X 144.5			X		X

Aluminum Sheet, cont.

Gauge	Size	3003 H14 M.F.	5052 H32 M.F.	6061 T6 M.F.	3003 H22 TREADBRITE	6061 T6 TREADPLATE
1.00	48.5 X 144.5			X		
1.50	48.5 X 144.5			X		
2.00	48.5 X 96.5			X		

Additional sheets are available in the following:

- White enamel
- Stucco embossed
- Expanded
- Perforated
- Corrugated

Steel & Aluminum Painted Sheets



Petersen Aluminum

Color Pac-Clad Standard	Steel		Aluminum			
	24 GA.	22 GA.	0.032	0.040	0.050	0.063
ALMOND	X		X	X	X	
ARCADIA GREEN	X		X			
AWARD BLUE	X		X		X	
BERKSHIRE BLUE	X					
BONE WHITE	X	X	X	X	X	X
BURGANDY	X		X			
CARDINAL RED	X		X			
CHARCOAL	X					
COLONIAL RED	X		X			
DARK BRONZE	X	X	X	X		X
FOREST GREEN	X	X	X	X		
GRANITE	X		X			
HARTFORD GREEN	X		X	X		
HEMLOCK GREEN	X	X	X			
INTERSTATE BLUE	X		X			
MANSARD BROWN	X	X	X			
MATTE BLACK	X		X	X		X
MEDIUM BRONZE	X	X	X	X		X
MILITARY BLUE	X		X	X		
MUSKET GRAY	X	X	X			
PATINA GREEN	X		X	X		
SANDSTONE	X	X	X	X		X
SIERRA TAN	X		X	X		
SLATE GRAY	X	X	X	X		
STONE WHITE	X	X	X	X		X
TEAL	X	X		X		
TERRA COTTA	X		X			

Steel & Aluminum Painted Sheets, cont.



Petersen Aluminum – Metallic Colors

Color Pac-Clad Metallic	Steel 24 GA.	Aluminum			
		0.032	0.040	0.050	0.063
AGED COPPER	X	X		X	
CHAMPAGNE	X	X		X	
COPPER PENNY	X	X		X	
SILVER	X	X		X	
WEATHERED ZINC	X	X		X	
ZINC	X	X		X	



Petersen Aluminum – Anodized Sheets

Color	0.032	0.040	0.050	0.063	0.080	.125
CLEAR ANODIZED	X	X	X	X	X	X
LIGHT BRONZE	X	X	X	X	X	
MEDIUM BRONZE	X	X	X	X	X	X
DARK BRONZE	X	X	X	X	X	X
BLACK	X	X	X	X	X	X
CHAMPAGNE	X	X	X	X		

304 Stainless Steel Sheet

GA.	Size	Weight/ Piece	2B	#4 POL.	#8 POL.
28GA. (.015)	36 X 96	15.12	X	X	
	36 X 120	18.90	X	X	
	48 X 120	25.20	X	X	
26GA. (.018)	36 X 96	17.94	X	X	
	48 X 120	29.9	X	X	
24GA. (.024)	36 X 120	29.61	X	X	
	48 X 120	39.48	X	X	
	48 X 144	47.38	X		
22GA. (.030)	36 X 120	36.93	X	X	
	48 X 120	49.24	X	X	X
	48 X 144	59.09	X	X	
20GA. (.036)	36 X 96	35.78	X	X	
	36 X 120	44.73	X	X	
	48 X 120	59.64	X	X	X
	48 X 144	71.57	X	X	X
	60 X 120	74.55	X	X	
18GA. (.048)	60 X 144	90.95	X	X	
	36 X 96	48.38	X	X	
	36 X 120	60.48	X	X	
	48 X 96	64.51	X	X	
	48 X 120	80.64	X	X	X
	48 X 144	96.77	X	X	X
	60 X 96	80.64	X	X	
18GA. (.048)	60 X 120	100.8	X	X	
	60 X 144	120.96	X	X	

304 Stainless Steel Sheet, cont.

GA.	Size	Weight/ Piece	2B	#4 POL.	#8 POL.
16GA. (.060)	36 X 96	59.98	X	X	
	36 X 120	74.97	X	X	
	48 X 96	79.97	X	X	
	48 X 120	99.96	X	X	X
	48 X 144	119.95	X	X	X
	60 X 96	99.96	X	X	
	60 X 120	124.95	X	X	
	60 X 144	149.94	X	X	
	14GA. (.075)	48 X 96	100.93	X	X
48 X 120		126.16	X	X	X
48 X 144		151.39	X	X	X
60 X 120		157.7	X	X	
60 X 144		189.24	X	X	
12GA. (.105)	48 X 96	141.66	X	X	
	48 X 120	177.08	X	X	X
	48 X 144	212.5	X	X	X
	60 X 120	221.35	X	X	
	60 X 144	265.62	X	X	
11GA. (.120)	48 X 96	161.28	X	X	
	48 X 120	201.60	X	X	X
	48 X 144	241.92	X	X	X
	60 X 120	252.00	X	X	
	60 X 144	302.40	X	X	
10GA. (.135)	48 X 120	226.80	X	X	X
	48 X 144	272.16	X	X	X
	60 X 120	283.50	X	X	
	60 X 144	340.20	X	X	

304 Stainless Steel Sheet, cont.

GA.	Size	Weight/ Piece	2B	#4 POL.	#8 POL.
7GA. (.187)	48 X 120	314.84	X	X	X
	48 X 144	377.81	X	X	X
0.250	48 X 96	357.12	X		
	48 X 120	446.40	X		
	48 X 144	535.68	X		
	60 X 120	558.00	X		
0.375	48 X 120	660.00	X		

*** All polished items have one side PVC.**



GA.	Size	GALVANIZED	GALVANEAL	ELECTRO GALVANIZED
28GA. (.0187)	36 X 96	X		
26GA (.0217)	36 X 96	X		
	48 X 96	X		
24GA. (.024)	36 X 96	X		
	48 X 120	X	X	X
	48 X 144	X	X	X
	60 X 144	X		
22GA. (.0336)	36 X 96	X		
	48 X 120	X	X	X
	48 X 144	X	X	X
	60 X 144	X		
20ga. (.0396)	36 X 96	X		
	48 X 120	X	X	X
	48 X 144		X	X
	60 X 144	X		
18ga. (.0516)	36 X 96	X		
	48 X 120	X	X	X
	48 X 144	X	X	X
	60 X 144	X		
16ga. .0635)	36 X 96	X		
	48 X 120	X	X	X
	48 X 144	X	X	X
	60 X 144	X		
14ga. (.0785)	36 X 96	X		
	48 X 120	X	X	X
	48 X 144	X	X	X
	60 X 144	X		

Galvanized Sheet, Cont.

GA.	Size	GALVANIZED	GALVANEAL	ELECTRO GALVANIZED
12GA. (.1084)	36 X 96	X		
	48 X 120	X	X	
	48 X 144	X	X	
	60 X 144	X		
11GA. (.1233)	36 X 96	X		
	48 X 120	X	X	
	48 X 144	X	X	
	60 X 144	X		
10GA. (.1382)	48 X 120	X		
	48 X 144	X		
	60 X 120	X		
	60 X 144	X		
7GA. (.180)	36 X 96	X		
	48 X 120	X		
	48 X 144	X		
	60 X 144	X		

Additional sheets are available in the following:

- Copper
- Expanded
- Perforated
- Corrugated

Fabrication

Aluminum Supply's fabrication department's capabilities include shearing, bending, welding, and saw-cutting.

We have two shears, both able to cut up to ¼" thick aluminum in lengths up to 144".

In addition, we have two press brakes (one digital) that can bend aluminum up to ¼" thick in lengths up to 144", and leaf brake that can bend aluminum up to ⅛" thick in lengths up to 120".

Aluminum Supply fabricates items such as:




Coping, fascia, gravel, stop, scuppers, pressure bar, flashing and accessories for the roofing trade.

Various sill, corner trim, panels and cladding for the glass and glazing industry.

Many profiles for the masonry trade.

Items listed can be fabricated in aluminum, galvanized, painted galvanized or stainless steel and copper.

All materials are quoted by the job, and are fabricated to the customer's specifications. Our staff's excellent familiarity with the machinery and years of experience ensure accurate parts and fast turn-around.



Hemmed Drip Edges



Conversion Chart

Fractions	Decimals	Millimeters
1/64	.0156	.3969
1/32	.0313	.7938
3/64	.0469	1.1906
1/16	.0625	1.5875
5/64	.0781	1.9844
3/32	.0938	2.3813
7/64	.1094	2.7781
1/8	.125	3.1750
9/64	.1406	3.5719
5/32	.1563	3.9688
11/64	.1719	4.3656
3/16	.1875	4.7625
13/64	.2031	5.1594
7/32	.2188	5.5563
15/64	.2344	5.9531
—	.250	6.3500
17/64	.2656	6.7469
9/32	.2813	7.1438
19/64	.2969	7.5406
5/16	.3125	7.9375
21/64	.3281	8.3344
11/32	.3438	8.7313
23/64	.3594	9.1281
3/8	.375	9.5250
25/64	.3906	9.9219
13/32	.4063	10.3188
27/64	.4219	10.7156
7/16	.4375	11.1125
29/64	.4531	11.5094
15/32	.4688	11.9063
31/64	.4844	12.3031
—	.500	12.7000

Fractions	Decimals	Millimeters
33/64	.5156	13.0969
17/32	.5313	13.4938
35/64	.5469	13.8906
9/16	.5625	14.2875
37/64	.5781	14.6844
19/32	.5938	15.0813
39/64	.6094	15.4781
5/8	.625	15.8750
41/64	.6406	16.2719
21/32	.6563	16.6688
43/64	.6719	17.0656
11/16	.6875	17.4625
45/64	.7031	17.8594
23/32	.7188	18.2563
47/64	.7344	18.6531
—	.750	19.0500
49/64	.7656	19.4469
25/32	.7813	19.8438
51/64	.7969	20.2406
13/16	.8125	20.6375
53/64	.8281	21.0344
27/32	.8438	21.4313
55/64	.8594	21.8281
7/8	.875	22.250
57/64	.8906	22.6219
29/32	.9063	23.0188
59/64	.9219	23.4156
15/16	.9375	23.8125
61/64	.9531	24.2094
31/32	.9688	24.6063
63/64	.9844	25.0031
1	1.000	25.4000

Additional sizes and alloys are available. Call 800.899.2726.



